

ST. MORITZ

Sistema di Ultrafiltrazione per uso domestico
Ultrafiltration System for domestic use



ST. MORITZ COMPRENDE



- Sistema di ultrafiltrazione con contalitri elettronico a batterie
- Rubinetto sopraelevato
- Kit di installazione
- Manuale uso e manutenzione

A cosa serve?

ST. MORITZ è un efficace sistema di filtrazione per uso domestico ed è in grado di garantire, grazie ai tre stadi di filtrazione, acqua depurata, priva di sostanze nocive, sedimenti e odori sgradevoli. Inoltre, permette di sganciare i filtri in modo rapido e veloce senza chiudere l'acqua.

ST. MORITZ NON ALTERA IL CONTENUTO DI SALI MINERALI PRESENTI NELL'ACQUA.

ST. MORITZ KIT INCLUDES



- Ultrafiltration system including an electronic mechanism anti-flooding system with 2 batteries
- Oversink faucet
- Installation Kit
- Operation and maintenance manual

What is good for?

ST. MORITZ is an effective system of filtration for domestic use and it is capable to guarantee, thanks to the 3-stages of filtration a purified water, free of harmful substances, sediments and unpleasant odors. Also, it allows you to unhook the filters quickly and easily without closing the water.

ST. MORITZ DOES NOT ALTER THE MINERAL SALTS CONTENT PRESENT IN THE WATER.



CARATTERISTICHE TECNICHE



Peso	5,8 Kg
Dimensioni	105 x 345 x 365 mm (L-P-H)
Alimentazione	2 pile da 1,5 V
Filtro 1	per sedimenti in linea da 12" - 10 micron
Filtro 2	in carbone attivo alimentare in linea da 12" - 10 micron
Filtro 3	Membrana ultrafiltrazione fibra cava antibatterica
Portata	120 L / h
Contalitri	Elettronico

PROCESSO DI FILTRAZIONE

INGRESSO ACQUA ACQUEDOTTO

1° STADIO

Filtro in linea Sedimenti. Riduce sporco e sabbia.


2° STADIO

Filtro in linea Carbone Attivo. Riduce odori e sapori.

3° STADIO

Filtro assoluto ad ultrafiltrazione con membrana a fibra cava antibatterica.

USCITA ACQUA RUBINETTO



TECHNICAL FEATURES



Weight	5,8 Kg
Dimensions	105 x 345 x 365 mm (W-H-D)
Power supply	2 batteries of 1,5 V
Filter 1	12" in-line sediment filter - 10 micron
Filter 2	12" in-line activated carbon filter - 10 micron
Filter 3	Ultrafiltration membrane.
Flow rate	120 L / h
Control unit	Electronic

FILTRATION PROCESS

INCOMING WATER WATER MAIN

1st STAGE

In-line sediment filter. Dirt and sand reduction.

2nd STAGE

In-line activated carbon filter. Reduces odors and flavors.

3rd STAGE

Absolute filter of ultrafiltration with antibacterial capillary membrane.

OUTGOING WATER FAUCET

ACCESSORI OPZIONALI

OPTIONAL ACCESSORIES

RUBINETTO - FAUCET

Monocomando
a 3 vie - canna bassa
Single-control

Three-way mixer tap - low cane



RUBINETTO - FAUCET

Monocomando
a 3 vie - canna alta
Single-control

Three-way mixer tap - high cane



ACCESSORI IN DOTAZIONE

SUPPLIED ACCESSORIES



RUBINETTO - FAUCET



Antiallagamento
Meccanico
Mechanic anti-flood
System